

## ATE5 Chapter 114 Rear Suspension and Service

### Opening Your Class

KEY ELEMENT	EXAMPLES
<b>Introduce Content</b>	This course or class provides complete coverage of the components, operation, design, and troubleshooting. It correlates material to task lists specified by ASE and NATEF and emphasizes a problem-solving approach. Chapter features include Tech Tips, Frequently Asked Questions, Real World Fixes, Videos, Animations, and NATEF Task Sheet references.
<b>Motivate Learners</b>	Explain how the knowledge of how something works translates into the ability to use that knowledge to figure why the engine does not work correctly and how this saves diagnosis time, which translates into more money.
<b>State the learning objectives for the chapter or course you are about to cover and explain this is what they should be able to do as a result of attending this session or class.</b>	Explain learning objectives to students as listed below: <ol style="list-style-type: none"> <li>1. Describe solid rear axles.</li> <li>2. Distinguish between trailing arm rear suspensions and semi-trailing arm rear suspensions.</li> <li>3. Distinguish between independent rear suspensions and semi-independent rear suspensions.</li> <li>4. Explain rear shock replacement and rear spring replacement.</li> </ol>
<b>Establish the Mood or Climate</b>	Provide a <i><b>WELCOME</b></i> , Avoid put downs and bad jokes.
<b>Complete Essentials</b>	Restrooms, breaks, registration, tests, etc.
<b>Clarify and Establish Knowledge Base</b>	Do a round robin of the class by going around the room and having each student give their backgrounds, years of experience, family, hobbies, career goals, or anything they want to share.

**NOTE: This lesson plan is based on the 5<sup>th</sup> Edition Chapter Images found on Jim's web site @**

**[www.jameshalderman.com](http://www.jameshalderman.com)**

**LINK CHP 114: [ATE5 Chapter Images](http://www.jameshalderman.com)**

## ICONS



## Chapter 114 Rear Suspension

### 1. SLIDE 1 CH114 REAR SUSPENSIONS & SERVICE

Check for **ADDITIONAL VIDEOS & ANIMATIONS @**  
<http://www.jameshalderman.com/>  
**WEB SITE IS CONSTANTLY UPDATED**

### Videos

2. **SLIDE 2 EXPLAIN Figure 114-1** Solid axles are used on rear-wheel-drive vehicles as well as front-wheel-drive vehicles.
3. **SLIDE 3 EXPLAIN Figure 114-2** solid axle supports the springs, so the axle and suspension components are unsprung weight. When one wheel rides over a bump, the force of impact transfers through the solid axle to the opposite side, leading to unstable handling

**DISCUSSION: Ask the students to discuss what Hotchkiss drives are and why they are called Hotchkiss drives.**

4. **SLIDE 4 EXPLAIN Figure 114-3** When the axle housing reacts against the force of axle shaft rotation, the front of the differential tilts upward, creating axle windup.
5. **SLIDE 5 EXPLAIN Figure 114-4** A typical rear-wheel-drive pickup truck rear suspension equipped with leaf springs. This type of arrangement is called a Hotchkiss drive and the drive train forces are controlled by the rear suspension components.
6. **SLIDE 6 EXPLAIN Figure 114-5** exploded view of a beam axle with multi-leaf springs

**DEMONSTRATION: Show examples of leaf springs**

**DISCUSSION: Ask the students to discuss why some rear suspensions use one set of trailing arms while other rear suspensions use two sets.**

## ICONS



QUESTION



QUESTION



## Chapter 114 Rear Suspension

**ON-VEHICLE NATEF TASK: Remove, inspect, and install leaf springs, leaf spring insulators (silencers), shackles, brackets, bushings, and mounts. Page 348**

7. **SLIDE 7 EXPLAIN Figure 114-6** trailing arm rear suspension with solid axle used on FWD vehicle.
8. **SLIDE 8 EXPLAIN Figure 114-7** The Camaro and Firebird rear suspension systems use a torque arm to control axle windup. If the rubber torque arm bushings (cushions) are worn, a loud “bang” could be heard and felt when accelerating suddenly.

**Broken Panhard Rod will cause tires to hit wheel house when cornering:**

**FIGURE 114-7**

**DISCUSSION: Ask the students to discuss how the length of a Panhard Rod will affect rear axle movement: FIGURE 114-7**

9. **SLIDE 9 EXPLAIN Figure 114-8** A typical beam axle rear suspension, which uses trailing arms and coil springs along with a track rod, also called a Panhard rod, to control side-to-side axle movement.
10. **SLIDE 10 EXPLAIN Figure 114-9** Ford rear suspension uses upper & lower semi-trailing arms to mount rear axle & watts linkage to control side-to-side

**DISCUSSION: Ask the students to discuss which is better: rear suspension with a trailing arm or a rear suspension with a semitrailing arm.**

11. **SLIDE 11 EXPLAIN Figure 114-10** An independent rear suspension provides a better ride because less weight is unsprung and the suspension is able to react quickly to bumps in the road without affecting the opposite side.
12. **SLIDE 12 EXPLAIN Figure 114-11** A typical short/long-arm independent rear suspension.
13. **SLIDE 13 EXPLAIN Figure 114-12** independent rear suspension uses a MacPherson strut, two parallel lower transverse control arms, and a trailing arm.
14. **SLIDE 14 EXPLAIN Figure 114-13** toe-control rod provides an extra brace to keep the rear wheels straight ahead during braking and acceleration on this modified-strut-type independent rear suspension.

## ICONS



## Chapter 114 Rear Suspension

15. **SLIDE 15 EXPLAIN Figure 114-14** upper drawing shows a transverse- leaf spring- type independent rear suspension that uses an “H”-shaped lower control arm. The lower drawing shows a transverse leaf spring suspension that uses two parallel lower links and a trailing arm


**DISCUSSION: Ask the students to discuss which is better: a transverse-leaf-spring independent rear suspension that uses an H-shaped lower control arm, or a transverse-leaf spring suspension that uses two parallel lower links and a trailing arm**

16. **SLIDE 16 EXPLAIN Figure 114-15** The crossbeam is placed toward the front of the vehicle rather than the centerline of the rear wheels on a semi-independent- type rear suspension.
17. **SLIDE 17 EXPLAIN Figure 114-16** semi-independent rear suspension with MacPherson struts.
18. **SLIDE 18 EXPLAIN Figure 114-17** Check all rubber bushings for excessive cracking.
19. **SLIDE 19 EXPLAIN Figure 114-18** Carefully inspect the bump stops for damage during a thorough visual inspection.
20. **SLIDE 20 EXPLAIN Figure 114-19** A broken spring was discovered during a routine under-vehicle visual inspection. Notice the witness marks that show that the spring coils have been hitting each other.
21. **SLIDE 21 EXPLAIN Figure 114-20** The shock absorber needs to be disconnected before removing the coil spring. Installation is the reverse of removal procedure.
22. **SLIDE 22 EXPLAIN Figure 114-21** The center bolt is used to hold the leaves of the leaf spring together. However, the hole for the center bolt also weakens the leaf spring. The crack shown is what a technician discovered when the leaf spring was removed during the diagnosis of a sagging rear suspension.

**DISCUSSION: Ask the students to discuss causes of leaf spring breakage other than metal fatigue, corrosion, & overloading**

## ICONS

DEMO



## Chapter 114 Rear Suspension

**DEMONSTRATION:** Show the students how to use a pry bar for rear suspension servicing

**DISCUSSION:** Ask the students to discuss why the tops of some rear shocks are fastened inside vehicles

**Be sure to check OEM service information before removing shock absorbers.**

**OPTIONAL SEARCH INTERNET ):** Have students use Internet for information on other components that need to be changed when leaf springs are used

**[Crossword Puzzle \(Microsoft Word\) \(PDF\)](#)**  
**[Word Search Puzzle \(Microsoft Word\) \(PDF\)](#)**