

Automotive Technology 5th Edition

Chapter 62 Heating & Air-Conditioning Components & Operation

Opening Your Class

KEY ELEMENT	EXAMPLES
Introduce Content	This course or class provides complete coverage of the components, operation, design, and troubleshooting. It correlates material to task lists specified by ASE and NATEF and emphasizes a problem-solving approach. Chapter features include Tech Tips, Frequently Asked Questions, Real World Fixes, Videos, Animations, and NATEF Task Sheet references.
Motivate Learners	Explain how the knowledge of how something works translates into the ability to use that knowledge to figure why the engine does not work correctly and how this saves diagnosis time, which translates into more money.
State the learning objectives for the chapter or course you are about to cover and explain this is what they should be able to do as a result of attending this session or class.	Explain learning objectives to students as listed on NEXT SLIDE. 1. Describe how an automotive heating, ventilation, and air-conditioning system works. 2. Explain the air-conditioning refrigeration cycle and describe the operation of the expansion valve and orifice tube. 3. Discuss the refrigerants used and their impact on the environment. 4. Explain the function of condensers and evaporators. 5. Explain the operation of a compressor and its controls.
Establish the Mood or Climate	Provide a WELCOME , Avoid put downs and bad jokes.
Complete Essentials	Restrooms, breaks, registration, tests, etc.
Clarify and Establish Knowledge Base	Do a round robin of the class by going around the room and having each student give their backgrounds, years of experience, family, hobbies, career goals, or anything they want to share.

NOTE: This lesson plan is based on the 5th Edition Chapter Images found on Jim's web site @ www.jameshalderman.com

LINK CHP 62: [ATE5 Chapter Images](#)

ICONS



Ch62 HVAC Operation

1. SLIDE 1 Chapter 62 HEATING & AIR-CONDITIONING

2. SLIDE 2 EXPLAIN Figure 62-1 Water is a substance that can be found naturally in solid, liquid, and vapor states.

Check for ADDITIONAL VIDEOS & ANIMATIONS @

<http://www.jameshalderman.com/>

WEB SITE IS CONSTANTLY UPDATED

Videos

DISCUSSION: Ask students to discuss the three states of water and how they relate to automotive heating and air-conditioning systems. Explain how molecules of water are moving at different states. Ask why there has to be an unbalanced force for the molecules to transfer heat.

[Conduction \(View\) \(Download\)](#)

[Convection \(View\) \(Download\)](#)

[Heat Transfer & Boiling \(View\) \(Download\)](#)

[Heat Transfer \(View\) \(Download\)](#)

[Heat Transfer Through Latent Heat \(View\) \(Download\)](#)

[HVAC Functions \(View\) \(Download\)](#)

[Radiant Heat \(View\) \(Download\)](#)

3. SLIDE 3 EXPLAIN Figure 62-2 extra heat required to change a standard amount of water at its boiling point to a vapor is called **latent heat of vaporization**.

4. SLIDE 4 EXPLAIN Figure 62-3 latent heat of vaporization that water vapor stores is given off when vapor condenses to a liquid. The temperature stays same.

DISCUSSION: Ask students to talk about the differences between kinetic and potential energy. Have them give examples of each in both automotive and non-automotive applications.

DISCUSSION: Ask students to discuss why aerosol cans become cold when sprayed continuously and why a can of nonflammable refrigerant can explode when heated by fire.

Hint: Have them focus on relationship between pressure and temperature for a vapor.

ICONS



Ch62 HVAC Operation

DISCUSSION: Asks students to discuss the relationships between pressure and temperature in an HVAC system.

5. SLIDE 5 EXPLAIN Figure 62-4 A sling psychrometer is used to measure relative humidity.

DEMONSTRATION: Borrow either a hygrometer or a psychrometer (**FIGURE 62-4**) from your school's science lab, and show students how they are used to measure relative humidity.

6. SLIDE 6 EXPLAIN Figure 62-5 Typical flow of air through an automotive heat, ventilation, and air-conditioning system when placed in the heat position

Have students review engine cooling systems as they relate to this chapter. See Ch21, "Cooling System Operation and Diagnosis."

Some DMMs come with a temperature probe. Use this on the radiator hoses to check for a thermostat opening. Also, INFRARED temperature guns are available to check temperatures.

7. SLIDE 7 EXPLAIN Figure 62-6 A typical heater core as installed in an HVAC housing
8. SLIDE 8 EXPLAIN Figure 62-7 evaporator removes heat from the air that enters a vehicle by transferring it to the vaporizing refrigerant.
9. SLIDE 9 EXPLAIN FIGURE 62-8 The compressor provides mechanical force needed to pressurize the refrigerant
10. SLIDE 10 EXPLAIN Figure 62-9 condenser changes the refrigerant vapor into a liquid by transferring heat from the refrigerant to the air stream that flows between the condenser fins

DEMONSTRATION: USE LAB VEHICLE Show students the parts of an automotive heating system, including heater hoses & heater core. Also show them blower motor that sends heated air into passenger compartment. Use an infrared thermometer to show temperature differences on high and low sides of AC system & heating system.

ICONS

DEMO



DEMO



DEMO



Ch62 HVAC Operation

DEMONSTRATION: Show students the parts of an automotive cooling system. Point out the compressor and explain how it works.

DISCUSSION: Ask students to talk about how heat is absorbed by an automotive A/C system.

DEMONSTRATION: Show students an expansion valve, describe its purpose, and explain how it works

11. **SLIDE 11 EXPLAIN** Figure 62-10 A typical air-conditioning system that uses an expansion valve. A temperature sensor bulb is attached to the outlet of the evaporator to control the amount of refrigerant allowed to flow into the evaporator

[Conduction \(View\) \(Download\)](#)

[Convection \(View\) \(Download\)](#)

[Heat Transfer & Boiling \(View\) \(Download\)](#)

[Heat Transfer \(View\) \(Download\)](#)

[Heat Transfer Through Latent Heat \(View\) \(Download\)](#)

[HVAC Functions \(View\) \(Download\)](#)

[Radiant Heat \(View\) \(Download\)](#)

DISCUSSION: Ask students to discuss how thermostatic control is used to prevent the temperature of the evaporator from dropping below 32°F (0°C). What would be the result if it did fall below this temperature? **FIGURE 62-10**

12. **SLIDE 12 EXPLAIN** Figure 62-11 A typical automotive air-conditioning system that uses a cycling clutch and an orifice tube.

13. **SLIDE 13 EXPLAIN** Figure 62-12 Typical orifice tube.

DEMONSTRATION: Show students an **orifice tube**, describe its purpose, and explain how it works. Show them special tool required to remove orifice tube from system **FIGURE 62-12**

14. **SLIDE 14 EXPLAIN** Figure 62-13 A cutaway of an air-conditioning compressor electromagnetic clutch

ICONS



Ch62 HVAC Operation

15. **SLIDE 15 EXPLAIN Figure 62-14** R-134a is available in 12 oz cans as well as larger 30-lb containers

16. **SLIDE 16 EXPLAIN Figure 62-15** A depletion of the ozone layer allows more ultraviolet radiation from the sun to reach Earth's surface.

DISCUSSION: Ask students to talk about the requirements of automotive technicians stemming from Section 609 of the Clean Air Act of 1990. **FIGURE 62-15**

17. **SLIDE 17 EXPLAIN Figure 62-16** Chlorofluorocarbon molecules break apart in the atmosphere

18. **SLIDE 18 EXPLAIN FIGURE 62-17** R-1234yf refrigerant is sold in white containers with a red stripe

All cars since 1990s use HFC-134a as a refrigerant because it is less harmful to ozone layer than CFC-12. **DISCUSS** why we are going to R1234yf. HFO-1234yf is a new class of refrigerants acquiring a global warming potential (GWP) rating 335 times < R-134a (only 4 X higher than carbon dioxide, which can also be used as a refrigerant but has significantly different properties to R134A, especially requiring operation at around 5 times higher pressure) and an atmospheric lifetime of about 400 times shorter. It was developed to meet the European directive 2006/40/EC that went into effect in 2011 requiring that all new car platforms for sale in Europe use a refrigerant in its AC system with a GWP below 150.

DEMONSTRATION: Show students the tester for identifying refrigerants

DISCUSSION: Ask students to talk about the types of refrigerants that have been used in automotive systems and in residential home AC systems. How do these refrigerants work? Why is CFC-12 no longer used?

ICONS



Ch62 HVAC Operation

Residential home refrigerants can't be used in automotive systems, EXCEPT IN BUSES.

DISCUSSION: discuss why carbon dioxide (CO₂) is not a good automotive refrigerant.

- 19. SLIDE 19 EXPLAIN Figure 62-18** PAG oil used in Chrysler vehicles equipped with HFC-134a refrigerant. Notice that different oils are used for different systems depending primarily on the manufacturer of the compressor. Also notice that both PAG oils are in metal cans. PAG oil absorbs moisture so readily that it can even absorb moisture that is in the air through plastic—that is why metal containers are used.
- 20. SLIDE 20 EXPLAIN Figure 62-19** Ester refrigerant oils are often specified for use when retrofitting an R-12 system to R-134a by companies who supply refit kits. Ester refrigerant oil is not recommended by many vehicle or air-conditioning compressor manufacturers. Always use the recommended refrigerant oil for the vehicle and system being serviced.

DISCUSSION: Ask students to talk about role of refrigerant oils in lubricating compressor. What are the types of refrigerant oil and their characteristics? FIGURE 62-18 & 19

Hybrid vehicles often use special oil that is nonconductive. Using wrong oil could cause death or injury from electrical shock. These systems use 200 volts to drive compressor rather than driving it with a belt.

- 21. SLIDE 21 EXPLAIN Figure 62-20** The condenser serves the same function for both the orifice-tube and the expansion valve-type air-conditioning system, and that is to remove the heat from the refrigerant and cause the hot refrigerant vapors to condense into a hot liquid.
- 22. SLIDE 22 EXPLAIN FIGURE 62-21** A repaired condenser refrigerant line.

DEMONSTRATION: Show students Condenser on an automotive A/C system. Describe its purpose and how it works

ICONS

DEMO

DEMO



DEMO



DEMO



Ch62 HVAC Operation

DEMONSTRATION: Show students a **Condenser** & explain its purpose and function. Use a condenser that has a cut-through area to show that the tubes are hollow

DEMONSTRATION: Show students' evaporator in an automotive A/C system. Describe its purpose and how it works

DISCUSSION: Ask students to discuss how an evaporator helps remove moisture from the air and lower humidity.

23. **SLIDE 23 EXPLAIN** Figure 62-22 evaporator serves the same function for both the orifice-tube and the expansion valve-type air-conditioning system, and that is to allow the liquid refrigerant to evaporate and absorb heat from the passenger compartment.

DEMONSTRATION: Show students **Receiver-Drier (FIGURE 62-22)** in an automotive A/C system and describe its purpose and function

DISCUSSION: Ask students to talk about the role of the desiccant in the drier. What would happen if it were omitted?

24. **SLIDE 24 EXPLAIN FIGURE 62-23** Expansion-valve systems store excess refrigerant in a receiver-drier, which is located in high-side liquid section of system, whereas orifice-tube systems store excess refrigerant in accumulator located in low-side vapor section of system.

25. **SLIDE 25 EXPLAIN** Figure 62-24 typical accumulator used on a cycling clutch orifice-tube (CCOT) system

DEMONSTRATION: Show students the **Accumulator** on an orifice tube system (**FIGURE 62-22**). Describe its purpose and how it works

26. **SLIDE 26 EXPLAIN** Figure 62-25 Rigid lines and flexible hoses are used throughout the air-conditioning system. The line to and from the compressor must be flexible because it is attached to the engine, which moves on its mounts during normal vehicle operation.

ICONS



Ch62 HVAC Operation

DISCUSSION: Ask students to discuss how refrigerant lines and hoses differ from radiator cooling system hoses.

27. **SLIDE 27 EXPLAIN Figure 62-26** A typical expansion valve which uses an inlet and outlet attachment for the evaporator, and a temperature-sensing bulb that is attached to evaporator outlet tube

28. **SLIDE 28 EXPLAIN Figure 62-27** A slot cut in the ball seat inside the expansion valve permits a small amount of refrigerant and oil to pass through at all times, even when the valve is closed. This flow of oil through the system is necessary to make sure that the compressor receives the oil it needs for lubrication.

DISCUSSION: Ask students to discuss how a pintle valve is used to operate the variable orifice in an expansion valve system: **FIGURE 62-27**

29. **SLIDE 29 EXPLAIN Figure 62-28** The sensing bulb is attached to the evaporator outlet tube. Refrigerant inside the bulb expands or contracts in response to the evaporator temperature.

30. **SLIDE 30 EXPLAIN Figure 62-29** Pressure from the capillary tube pushes on the spring-loaded diaphragm to open the expansion valve. As the pressure in the capillary tube contracts, the reduced pressure on the diaphragm allows the valve to close.

DISCUSSION: Ask students to talk about how sensing bulb, capillary tube, & diaphragm inside expansion valve work together to regulate flow of refrigerant into evaporator.

FIGURE 62-26, 28 & 29

31. **SLIDE 31 EXPLAIN Figure 62-30** An H-valve (H-block) combines the temperature-sensing and pressure-regulating functions into a single assembly.

32. **SLIDE 32 EXPLAIN Figure 62-31** An H-valve as used on a Chrysler minivan

33. **SLIDE 33 EXPLAIN Figure 62-32** In this Chrysler system, a low-pressure cutoff switch and a cycling-clutch switch are mounted on the H-valve.

ICONS

DEMO



DEMO



DEMO



DEMO



Ch62 HVAC Operation

DEMONSTRATION: Show students an example of an H-Valve from a Chrysler vehicle and describe how it works. **FIGURES 62-30 & 31**

34. **SLIDE 34 EXPLAIN** Figure 62-33 orifice tube is usually located at the inlet tube to the evaporator

DISCUSSION: Ask students to discuss how orifice tubes separate the high-pressure & low-pressure sides of the A/C system. How does this method differ from the one used in an expansion valve system? **FIGURE 62-33**

DEMONSTRATION: Show students an example of a thermo, icing, or defrost switch (thermostat), & describe how it works.

DISCUSSION: Ask students to discuss the purpose and function of an A/C compressor.

DEMONSTRATION: Show students an A/C compressor electromagnetic clutch & describe its purpose & function. Show clutch engaging. Explain how diode prevents a voltage spike that could cause damage to PCM.

35. **SLIDE 35 EXPLAIN** Figure 62-34 In a positive-displacement compressor, the descending piston creates a drop in pressure inside the cylinder. The resulting pressure differential allows low-side pressure to force the suction valve open. Refrigerant then flows into the cylinder. On the piston's discharge stroke, the pressure caused by the ascending piston closes the intake valve and forces the refrigerant out the discharge valve

DEMONSTRATION: Show students an example of a positive displacement piston compressor and how it works **FIGURE 62-34**

36. **SLIDE 36 EXPLAIN** Figure 62-35 A reed valve is a one-way check valve that flaps away from the valve plate to open, and toward the valve plate to close.

ICONS

DEMO



DEMO



QUESTION



QUESTION



DEMO



QUESTION



Ch62 HVAC Operation

DEMONSTRATION: Show students an example of a reed valve (**FIGURE 62-35**) inside a compressor and discuss how it functions.

37. **SLIDE 37 EXPLAIN** Figure 62-36 The swash plate, attached to the crankshaft at an angle, converts the pulley's rotary motion to axial motion, which drives the pistons in a reciprocating motion

DEMONSTRATION: Show students a swash plate in a compressor and discuss how it operates. **FIGURE 62-36**

DISCUSSION: Ask students to discuss how a variable displacement compressor (**FIGURE 62-37**) works and how it differs from a positive-displacement piston compressor.

DISCUSSION: Ask students to talk about how an electromagnetic clutch works to control the compressor.

38. **SLIDE 38 EXPLAIN** FIGURE 62-37 V-5 variable displacement compressor

39. **SLIDE 39 EXPLAIN** Figure 62-38 Typical air-conditioning pressure switches. A service manual would be needed to determine the function of each switch. One switch could be the low-pressure switch and the other a high-pressure switch.

DEMONSTRATION: Show students how to perform the radio pop trick.

DISCUSSION: Ask students to describe 3 types of switches that must be functional to engage compressor clutch and how each functions.

ON-VEHICLE NATEF TASK Locate and interpret vehicle and major component identification numbers. **Page 184**

ICONS



Ch62 HVAC Operation

[Crossword Puzzle \(Microsoft Word\) \(PDF\)](#)

[Word Search Puzzle \(Microsoft Word\) \(PDF\)](#)