

Automotive Technology 6th Edition

Chapter 29 Engine Cleaning & Crack Detection

Opening Your Class

KEY ELEMENT	EXAMPLES
Introduce Content	This Automotive Technology 6th text provides complete coverage of automotive components, operation, design, and troubleshooting. It correlates material to task lists specified by ASE and ASEducation (NATEF) and emphasizes a problem-solving approach. Chapter features include Tech Tips, Frequently Asked Questions, Case Studies, Videos, Animations, and ASEducation (NATEF) Task Sheets.
Motivate Learners	Explain how the knowledge of how something works translates into the ability to use that knowledge to figure why the engine does not work correctly and how this saves diagnosis time, which translates into more money.
State the learning objectives for the chapter or course you are about to cover and explain this is what they should be able to do as a result of attending this session or class.	Explain the chapter learning objectives to the students as listed: <ol style="list-style-type: none"> 1. Explain the mechanical cleaning procedure of engines. 2. Discuss chemical cleaners. 3. Compare spray and steam washing, thermal cleaning, tank and vapor cleaning, and ultrasonic and vibratory cleaning. 4. Explain crack detection and crack repair.
Establish the Mood or Climate	Provide a <i>WELCOME</i> , Avoid put downs and bad jokes.
Complete Essentials	Restrooms, breaks, registration, tests, etc.
Clarify and Establish Knowledge Base	Do a round robin of the class by going around the room and having each student give their backgrounds, years of experience, family, hobbies, career goals, or anything they want to share.

NOTE: This lesson plan is based on the 6th Edition Chapter Images found on Jim's web site @

www.jameshalderman.com

DOWNLOAD Chapter 29 Chapter Images: From

<http://www.jameshalderman.com/>

[automotive_principles.html](http://www.jameshalderman.com/automotive_principles.html)!NOTE: You can use Chapter Images or possibly Power Point files:

ICONS



C29 Clean & Crack Repair

1. SLIDE 1 CH29 ENGINE CLEANING & CRACK DETECTION

Check for **ADDITIONAL VIDEOS & ANIMATIONS**
@ <http://www.jameshalderman.com/>
WEB SITE IS CONSTANTLY UPDATED

[http://www.jameshalderman.com/
automotive_principles.html](http://www.jameshalderman.com/automotive_principles.html)

DOWNLOAD

Crossword Puzzle (Microsoft Word) (PDF)

Word Search Puzzle (Microsoft Word) (PDF)

ENGINE CLEANING & CRACK REPAIR

Videos

2. **SLIDE 2 EXPLAIN** FIGURE 29-1 Plastic razor blades are available and make an excellent tool to clean gasket surfaces without causing any harm to the engine surfaces.
3. **SLIDE 3 EXPLAIN** Figure 29-2 An air-powered grinder attached to a bristle pad being used to clean the gasket surface of a cylinder head. This type of cleaning pad should not be used on the engine block where the grit could get into the engine oil and cause harm when the engine is started and run after the repair.

DISCUSSION: Ask students why air powered tools are preferred over electrical tools. (Answer: Air has more energy, so air powered tools weigh less and deliver more power.)

ICONS

C29 Clean & Crack Repair



4. **SLIDE 4 EXPLAIN** Figure 29-3 abrasive disc commonly called by its trade name, Scotch Brite™ pad.
5. **SLIDE 5 EXPLAIN** Figure 29-4 Using baking soda is the recommended way to clean engine parts because any soda that is left on or in the part is dissolved in oil or water, unlike either sand or glass beads, which can be engine damaging.



EXPLAIN TECH TIP: The Ice Scraper Trick

Using a steel scraper can damage aluminum heads or block deck surfaces. To prevent damage, try using a file to sharpen a plastic ice scraper and then use this to scrape gaskets from aluminum engine parts. This method works very well.



DEMONSTRATION: Show students all of the different types of engine cleaning chemicals and equipment that the shop has & demonstrate how to use them.



DISCUSSION: Have students discuss different types of metals used in an engine. Some examples are steel, aluminum, copper, brass, & magnesium.











DEMONSTRATION: Show students different types of sanding brushes and explain for which jobs each one is used.



6. **SLIDE 6 EXPLAIN** Figure 29-5 Small engine parts can be blasted clean in a sealed cabinet



DISCUSSION: Have students discuss what would happen if the wrong cleaning method was used on engine part. Would damage occur, or would Cleaning take longer?

ICONS	C29 Clean & Crack Repair
	<p>Iron blocks rust quickly. If you are not going to assemble them immediately after cleaning, apply a light coat of oil to keep the gasket surfaces from rusting.</p>
	<p><u>DISCUSSION:</u> Ask students whether they know the short term and long-term risks involved with using chemical cleaners.</p>
	<p><u>DEMONSTRATION:</u> Show students how to use a chemical cleaner in shop</p>
	<p><u>HANDS-ON TASK:</u> Assign dirty engine parts to students & have them clean parts with chemical cleaner.</p>
	<p><u>DISCUSSION:</u> Fumes are dangerous when working with chemicals. Ask students what kind of breathing equipment is needed (if any) when working with cleaning chemicals. You can refer to MSDS sheet for more information on safety for particular chemical.</p>
	<p><u>DEMONSTRATION:</u> Show students how to properly clean a cylinder head using solvents. Follow all safety precautions and make sure the students understand the reasons for each.</p>
	<p>Many different cleaning processes have same end result, clean engine. However, local laws & environmental friendliness of shop will determine what kind of process will be used.</p>
	<p><u>HANDS-ON TASK:</u> Have students properly clean a cylinder head using solvents. Cylinder heads can be found on old engines and spare ones can be found in salvage yards.</p>

ICONS

C29 Clean & Crack Repair



7. **SLIDE 7 EXPLAIN Figure 29-6** pressure jet washer is similar to a large industrial sized dishwasher. Each part is then rinsed with water to remove chemicals or debris that may remain there while it is still in the tank.
8. **SLIDE 8 EXPLAIN Figure 29-7** microbial cleaning tank uses microbes to clean grease and oil from parts.
9. **SLIDE 9 EXPLAIN Figure 29-8 (a)** pyrolytic (high-temperature) oven cleans by baking the engine parts. After the parts have been cleaned, they are then placed into an airless blaster. This unit uses a paddle to scoop stainless steel shot from a reservoir and forces it against the engine part. The parts must be free of grease and oil to function correctly. **(b)** This cleaned engine block has been baked and shot blasted



10. **SLIDE 10 EXPLAIN Figure 29-9** ultrasonic cleaner being used to clean fuel injectors
11. **SLIDE 11 EXPLAIN Figure 29-10** top deck surface of a block is being tested using magnetic crack inspection equipment.
12. **SLIDE 12 EXPLAIN Figure 29-11** If the lines of force are interrupted by a break (crack) in the casting, then two magnetic fields are created and the powder will lodge in the crack.

ICONS

C29 Clean & Crack Repair



13. **SLIDE 13 EXPLAIN** Figure 29-12 This crack in a vintage Ford 289, V-8 block was likely caused by the technician using excessive force trying to remove the plug from the block. The technician should have used heat and wax, not only to make the job easier, but also to prevent damaging the block.
14. **SLIDE 14 EXPLAIN** Figure 29-13 To make sure that the mark observed in the cylinder wall was a crack, compressed air was forced into the water jacket while soapy water was sprayed on the cylinder wall. Bubbles confirmed that the mark was indeed a crack.
15. **SLIDE 15 EXPLAIN FIGURE 29-14** A cylinder head is under water and being pressure tested using compressed air. Note that the air bubbles indicate a crack.



DISCUSSION: discuss what happens when a head is milled or machined in order to correct warpage. Does this change compression of the engine? (ANS: Yes, it does. However, in most cases it is such a small change that it will not affect engine)



DEMONSTRATION: Show students how to check for cracks in engine components using compression gauge & cylinder leak-down test. Also show them that a few drops of oil will increase compression.



HANDS-ON TASK: Have students use compression tester and cylinder leak-down tool to verify that an engine is holding compression.



Welding is another way to fix cracks in outside of engine block



DISCUSSION: Ask students how strong weld should be. The weld should be stronger than metal that it bonds to. A weld that fails is considered to be of poor quality and workmanship.

ICONS







C29 Clean & Crack Repair

DISCUSSION: Ask students whether it is possible to repair a cracked cylinder head using an oil or coolant additive.

16. SLIDE 16 **EXPLAIN** Figure 29-15 (a) Before welding, the crack is ground out using a carbide grinder.
17. SLIDE 17 **EXPLAIN** Figure 29-15 (b) technician is practicing using the special cast-iron welding torch before welding the cracked cylinder head.
18. SLIDE 18 **EXPLAIN** Figure 29-15 (c) This is the finished welded crack before final machining.
19. SLIDE 19 **EXPLAIN** Figure 29-15 (d) Note the finished cylinder head after the crack has been repaired using welding.

DISCUSSION: Ask students whether they can tell difference between damaged head gasket & cracked head. Head gasket more likely to fail than cylinder head. Only way to know for sure is to remove head and have it inspected.

20. SLIDE 20 **EXPLAIN** Figure 29-16 Reaming a hole for a tapered plug
21. SLIDE 21 **EXPLAIN** Figure 29-17 Tapping a tapered hole for a plug
22. SLIDE 22 **EXPLAIN** Figure 29-18 Screwing a tapered plug in hole
23. SLIDE 23 **EXPLAIN** Figure 29-19 Cutting the plug with a hacksaw
24. SLIDE 24 **EXPLAIN** Figure 29-20 Interlocking plugs
25. SLIDE 25 **EXPLAIN** Figure 29-21 (a) hole is drilled and tapped for the plugs
26. SLIDE 26 **EXPLAIN** Figure 29-21 (b) plugs installed
27. SLIDE 27 **EXPLAIN** Figure 29-21 (c) After final machining, the cylinder head can be Returned to useful service

ICONS	C29 Clean & Crack Repair
 	<p><u>DISCUSSION:</u> Have students discuss reasons why a cylinder head would crack. ANSWER: overheating, lack of proper maintenance, & over revving engine.</p> <p><u>ON-VEHICLE ASE EDUCATION TASK</u> Inspect for cracks in cylinder head (P-2)_Check for cracks in engine block (P-2)</p>
 	<p><u>DISCUSSION:</u> Ask students to discuss their preferred method of repairing a crack and have them explain their reasons.</p> <p><u>SEARCH INTERNET:</u> There are many different products that are supposed to clean engine parts. Have students search Internet for at least 5 products that clean engine parts and read the reviews from customers who purchased them. Then have students see whether class carries any of products and whether they would buy the products if they had a choice.</p>