


Drivetrain Electricity and Electronics

Chapter 8



http://jameshalderman.com

ACROSS

2	A is a metal fastener attached to the
	end of a wire, which makes the electrical
	connection.
5	can be caused by corroded
	connections or sockets.
9	Ais a type of short circuit
	that occurs when the current bypasses part of
	the normal circuit and flows directly to ground.
10	The is the unit used throughout the
	world to measure current flow.
12	The is the unit of measurement for
	electrical pressure.
13	Resistance to the flow of current through a
	conductor is measured in units called
14	A measures the pressure or
	potential of electricity in units of volts.

DOWN

1	An measures the flow of current
	through a complete circuit in units of amperes
	or milliamperes.
3	are materials with fewer than four
	electrons in their atom's outer orbit.
4	can be either an insulator or
	a conductor in different design applications
6	are materials with more than four
	electrons in their atom's outer orbit.
7	A occurs when the power
	side of one circuit is electrically connected to
	the power side of another circuit.
8	The term usually refers to the
	plastic portion that snaps or connects together,
	thereby making the mechanical connection.
9	A wiring shows electrical
	components and wiring using symbols and
	lines to represent components and wires.
11	An measures the resistance in ohms
	of a component or circuit section when no
	current is flowing through the circuit.