

# Piston Inspection and Measurement

**Meets ASE Task:** (A1-C-10) P-2 Inspect and measure piston skirts and ring leads; determine needed action.

Name \_\_\_\_\_ Date \_\_\_\_\_ Time on Task \_\_\_\_\_

Make/Model/Year \_\_\_\_\_ VIN \_\_\_\_\_ Evaluation: 4 3 2 1

\_\_\_\_\_ 1. Check service information for the specified measurements and inspection procedures.  
State recommended procedures. \_\_\_\_\_

\_\_\_\_\_  
\_\_\_\_\_



\_\_\_\_\_ 2. What is the specified piston skirt size? Measure and record the piston skirt diameter.

Piston cylinder #1 = \_\_\_\_\_ Piston cylinder #5 = \_\_\_\_\_

Piston cylinder #2 = \_\_\_\_\_ Piston cylinder #6 = \_\_\_\_\_

Piston cylinder #3 = \_\_\_\_\_ Piston cylinder #7 = \_\_\_\_\_

Piston cylinder #4 = \_\_\_\_\_ Piston cylinder #8 = \_\_\_\_\_

\_\_\_\_\_ 3. Based on the measurement and the inspection, what is the needed action? \_\_\_\_\_

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_