

# TOOT and SAI

**Meets ASE Task:** (A4-E-4) P-2, (A4-E-5) P-2 Check toe-out-on-turns (turning radius) and SAI (steering axis inclination) and included angle; determine needed action.

Name \_\_\_\_\_ Date \_\_\_\_\_ Time on Task \_\_\_\_\_

Make/Model/Year \_\_\_\_\_ VIN \_\_\_\_\_ Evaluation: 4 3 2 1

\_\_\_\_\_ 1. Check the alignment equipment instructions and measure the toe-out-on-turns.

**LEFT TOOT**

**RIGHT TOOT**

\_\_\_\_\_

\_\_\_\_\_ 2. Check service information for the specified toe-out-on-turns (TOOT).

Specifications = \_\_\_\_\_



\_\_\_\_\_ 3. Based on the TOOT readings, what is the needed action?

\_\_\_\_\_  
\_\_\_\_\_

\_\_\_\_\_ 4. Check steering axis inclination (SAI) and compare to factory specifications.

**SAI LEFT**

**SAI RIGHT**

\_\_\_\_\_

Specification for SAI = \_\_\_\_\_

\_\_\_\_\_ 5. Based on the SAI reading, what is the needed action?

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

