

# Airbag Disarming and Diagnosis

**Meets ASE Task:** (A6-H-4 and A6-H-5) Disarm and diagnose supplemental restraint systems; determine needed action. (P-2, P-1)

Name \_\_\_\_\_ Date \_\_\_\_\_ Time on Task \_\_\_\_\_

Make/Model/Year \_\_\_\_\_ VIN \_\_\_\_\_ Evaluation: 4 3 2 1

\_\_\_\_\_ 1. Check service information for specified disarming and enabling procedures. \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_ 2. Locate the airbag schematic and determine the following information.

a. Describe the location of the airbag controller \_\_\_\_\_

\_\_\_\_\_

b. Describe the location of the arming sensor \_\_\_\_\_

\_\_\_\_\_

c. Describe the location of the discriminating sensors \_\_\_\_\_

\_\_\_\_\_


\_\_\_\_\_ 3. What fuse number (label) and amperage rating is used for the airbag?

a. Fuse number (label) \_\_\_\_\_

b. Fuse rating \_\_\_\_\_

\_\_\_\_\_ 4. Describe the location of the ground(s) for the airbag. \_\_\_\_\_

\_\_\_\_\_



\_\_\_\_\_ 5. Based on the diagnostic tests, what is the needed action? \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_