| F | Automotive | Techno | logy 6th | Edition | |
|---|------------|--------|----------|---------|--|
| (| Quiz 50B | | | | |
| | | | | | |

| PLE CHOICE. Choose the one alternative that best completes the statement or answers the questi | on. |
|---|-----|
| 1) Some vehicles us an AGM-type battery. This means that the electrolyte is inside the | 1) |
| battery. | |
| A) a dry powder | |
| B) liquid | |
| C) absorbed into the separator | |
| D) a gel-like form | |
| 2) Technician A says that maintenance-free batteries use a large amount of water. Technician B says | 2) |
| that maintenance-free batteries use materials that reduce the amount of water used by the | |
| battery. Which technician is correct? | |
| A) Technician A only | |
| B) Technician B only | |
| C) Both technicians | |
| D) Neither technician | |
| 3) Reserve capacity is the number of minutes a battery can produce 10.5 volts with how many | 3) |
| amps? | |
| A) 25 | |
| B) 10 | |
| C) 20 | |
| D) 30 | |
| 4) Cold cranking amps refers to the current a battery produce while sustaining 7.2 volts at what temperature? | 4) |
| A) 0 deg F | |
| B) 32 deg F | |
| C) 72 deg F | |
| D) -10 deg F | |
| 5) Which battery rating is tested at 0 deg F (-18 C)? | 5) |
| A) Cold-cranking amperes (CCA) | - |
| B) Cranking amperes (CA) | |
| C) Reserve capacity | |
| D) Battery voltage test | |
| 6) Many GM vehicles use a group 78 size battery. | 6) |
| A) True | • |
| B) False | |

| 7) When a battery becomes completely discharged, both positive and negative plates become | 7) |
|---|-----|
| and the electrolyte becomes | |
| A) H ₂ SO ₄ ; Pb | |
| B) PbSO ₄ ; H ₂ O | |
| C) PbO ₂ ; H ₂ SO ₄ | |
| D) PbSO4; H ₂ SO ₄ | |
| 8) Sponge lead is used for which battery components? | 8) |
| A) Negative plates | |
| B) Positive plates | |
| C) Both A and B | |
| D) Neither A nor B | |
| 9) Which statement is TRUE regarding the internal grids in automotive batteries? | 9) |
| A) The grid is made mainly of lead. | |
| B) The lead used to make the grid is enhanced with other elements for durability. | |
| C) Both A and B | |
| D) Neither A nor B | |
| 10) Each cell of an automobile 12 volt battery can produce about volts. | 10) |
| A) 1.2 | |
| B) 2.1 | |
| C) 4.2 | |
| D) 4 | |

Answer Key

Testname: AT6_50B

1) C

Page Ref: 582

2) B

Page Ref: 578

3) A

Page Ref: 584

4) A

Page Ref: 583-584

5) A

Page Ref: 583

6) A

Page Ref: 584

7) B

Page Ref: 580

8) A

Page Ref: 579

9) C

Page Ref: 578-579

10) B

Page Ref: 579