

Name \_\_\_\_\_

**MULTIPLE CHOICE. Choose the one alternative that best completes the statement or answers the question.**

- 1) Technician A says that major sources of chemical dangers are from solvents containing chlorinated hydrocarbons. Technician B says that solvents can be reclaimed so that they can be reused. Which technician is correct?
  - A) Technician A only
  - B) Technician B only
  - C) Both technicians A and B
  - D) Neither technician A nor B
  
- 2) Exposure to asbestos dust can cause what condition?
  - A) Asbestosis
  - B) Mesothelioma
  - C) Lung cancer
  - D) All of the above
  
- 3) When handling an airbag, what precautions should be taken?
  - A) Place an airbag module facing upward.
  - B) Always carry an airbag pointing away from your body.
  - C) Wear protective gloves if handling a deployed airbag.
  - D) All of these
  - E) A and B only
  
- 4) Technician A says that brake fluid is hazardous after it has been contaminated with metals from the brake system. Technician B says to dispose of used brake fluid in a special container. Which technician is correct?
  - A) Technician A only
  - B) Technician B only
  - C) Both technicians A and B
  - D) Neither technician A nor B
  
- 5) What disease has been attributed to asbestos exposure?
  - A) Mesothelioma
  - B) Glaucoma
  - C) Appendicitis
  - D) Influenza
  
- 6) Gasoline should be stored in approved containers that include what color(s)?
  - A) A red container with yellow lettering
  - B) A red container
  - C) A yellow container
  - D) A yellow container with red lettering

- 7) Technician A says to fill gas containers completely full in order to reduce vapor formation. Technician B says that all gasoline containers should be red in color. Which technician is correct?
- A) Technician A only
  - B) Technician B only
  - C) Both technicians A and B
  - D) Neither technician A nor B
- 8) What material, sometimes used in friction linings, may cause lung damage with repeated exposure?
- A) Asbestos
  - B) Ceramic fiber
  - C) Carbon fiber
  - D) Fiberglass
- 9) Technician A says that solvents with a flash point below 140°F (60°C) are combustible. Technician B says that solvents with a flash point above 140°F (60°C) are flammable. Which technician is correct?
- A) Technician A only
  - B) Technician B only
  - C) Both technicians A and B
  - D) Neither technician A nor B
- 10) Technician A says that used brake fluid can be poured down the sewage drain. Technician B says that brake fluid can be mixed with used engine oil for recycling. Which technician is correct?
- A) Technician A only
  - B) Technician B only
  - C) Both technicians A and B
  - D) Neither technician A nor B

## Answer Key

Testname: ASSA8\_3A

1) C

Page Ref: 46

2) D

Page Ref: 44

3) D

Page Ref: 49

4) C

Page Ref: 45

5) A

Page Ref: 44

6) B

Page Ref: 49

7) B

Page Ref: 49

8) A

Page Ref: 44

9) D

Page Ref: 47

10) D

Page Ref: 45