

Name _____

MULTIPLE CHOICE. Choose the one alternative that best completes the statement or answers the question.

- 1) Technician A says that solvents currently in use in a parts washer must always be labelled. Technician B says that SafetyKleen is a vendor that recycles and disposes of used solvent. Which technician is correct?
 - A) Technician A only
 - B) Technician B only
 - C) Both technicians A and B
 - D) Neither technician A nor B

- 2) To determine if a product or substance being used is hazardous, consult _____.
 - A) a dictionary
 - B) an SDS
 - C) SAE standards
 - D) EPA guidelines

- 3) Technician A says that used brake fluid can be poured down the sewage drain. Technician B says that brake fluid can be mixed with used engine oil for recycling. Which technician is correct?
 - A) Technician A only
 - B) Technician B only
 - C) Both technicians A and B
 - D) Neither technician A nor B

- 4) Technician A says that all brake and clutch linings should be treated as if they contain asbestos. Technician B says that a HEPA filtration vacuum is acceptable to clean brake assemblies before service. Which technician is correct?
 - A) Technician A only
 - B) Technician B only
 - C) Both technicians A and B
 - D) Neither technician A nor B

- 5) Technician A says that wet asbestos is known as hazardous waste. Technician B says that dry asbestos is known as solid waste. Which technician is correct?
 - A) Technician A only
 - B) Technician B only
 - C) Both technicians A and B
 - D) Neither technician A nor B

- 6) Which of these is NOT a preferred method when disposing of used tires?
 - A) Take to a landfill
 - B) Retreading
 - C) Shred for use in asphalt
 - D) Burn in a cement kiln

- 7) What law says employers must provide information about hazardous materials used in the work place?
- A) Right to know
 - B) EPA
 - C) OSHA
 - D) RCRA
- 8) An oil filter should be hot drained for how long before disposal?
- A) 30 to 60 minutes
 - B) 4 hours
 - C) 8 hours
 - D) 12 hours
- 9) What source of information contains important safety information about hazardous materials?
- A) SDS
 - B) HEPA
 - C) SAE
 - D) NATEF
- 10) When handling an airbag, what precautions should be taken?
- A) Place an airbag module facing upward.
 - B) Always carry an airbag pointing away from your body.
 - C) Wear protective gloves if handling a deployed airbag.
 - D) All of these
 - E) A and B only

Answer Key

Testname: ASSA8_3B

1) B

Page Ref: 47

2) B

Page Ref: 43

3) D

Page Ref: 45

4) C

Page Ref: 44

5) D

Page Ref: 44

6) A

Page Ref: 49

7) A

Page Ref: 43

8) D

Page Ref: 46

9) A

Page Ref: 43

10) D

Page Ref: 49