

Name _____

MULTIPLE CHOICE. Choose the one alternative that best completes the statement or answers the question.

- 1) Technician A says to bleed the conventional brake system before bleeding the ABS modulator. Technician B says a scan tool may be required to bleed the ABS modulator. Which technician is correct? 1) _____
 - A) Technician A only
 - B) Technician B only
 - C) Both technicians A and B
 - D) Neither technician A nor B

- 2) While bleeding brakes, how long should you wait between strokes? 2) _____
 - A) 5 seconds
 - B) 10 seconds
 - C) 15 seconds
 - D) 30 seconds

- 3) The bleeder is opened at a caliper and no brake fluid flows out. Technician A says that this is normal and that brake fluid should not flow or drip out of an open bleeder valve. Technician B says that the vent port in the master cylinder may be blocked. Which technician is correct? 3) _____
 - A) Technician A only
 - B) Technician B only
 - C) Both technicians A and B
 - D) Neither technician A nor B

- 4) In an overall bleeding sequence, which part should be bled first? 4) _____
 - A) Wheel cylinders
 - B) Brake calipers
 - C) Master cylinder
 - D) Combination valve

- 5) Vacuum bleeding requires _____. 5) _____
 - A) metering valve override
 - B) a suction pump
 - C) Both A and B
 - D) Neither A nor B

- 6) Two technicians are discussing bleeding air from the brake hydraulic system. Technician A says to depress the brake pedal slowly and not to the floor to prevent possible seal damage inside the master cylinder. Technician B says to wait 15 seconds between strokes of the brake pedal. Which technician is correct? 6) _____
 - A) Technician A only
 - B) Technician B only
 - C) Both technicians A and B
 - D) Neither technician A nor B

- 7) How does a bleeder valve seal? 7) _____
- A) O-ring
 - B) By the threads
 - C) Lip seal
 - D) Tapered end
- 8) The brake bleeding procedure usually specified for a rear-wheel drive vehicle with a dual split master cylinder is _____. 8) _____
- A) RR, LR, RF, LF
 - B) LF, RF, LR, RR
 - C) RF, LR, LF, RR
 - D) LR, RR, LF, RF
- 9) Technician A says that the brake pedal should be depressed with as much force as possible during the normal bleeding procedure. Technician B says that the brake pedal should be pumped rapidly during this manual bleeding procedure to force the air down toward the bleeder valve(s). Which technician is correct? 9) _____
- A) Technician A only
 - B) Technician B only
 - C) Both technicians A and B
 - D) Neither technician A nor B
- 10) The usual maximum pressure that should be used when pressure bleeding a brake system is _____. 10) _____
- A) 20 psi
 - B) 30 psi
 - C) 50 psi
 - D) 70 psi

Answer Key

Testname: CHASSIS8_9A

- 1) C
Page Ref: 126
- 2) C
Page Ref: 121
- 3) B
Page Ref: 123
- 4) C
Page Ref: 119
- 5) B
Page Ref: 121
- 6) C
Page Ref: 122
- 7) D
Page Ref: 119
- 8) A
Page Ref: 120
- 9) D
Page Ref: 121
- 10) B
Page Ref: 125