Name_____

MULTIPLE CHOICE. Choose the one alternative that best completes the statement or answers the question.

- The volume of fuel being returned to the tank is being discussed. Technician A says that it is normal for a small amount of fuel to be returned to the tank by the high-pressure pump and the injectors. Technician B says that any fuel being returned to the tank by the high-pressure pump or the injectors is an indication of a problem. Which technician is correct?

 A) Technician A only
 B) Technician B only
 - C) Both technicians A and B
 - D) Neither technician A nor B
- 2) The low-pressure fuel system is being discussed. Technician A says that the system must provide an adequate volume of fuel to the high-pressure fuel injection system. Technician B says that the system must provide fuel at a minimum pressure to the high-pressure fuel injection system. Which technician is correct?

3) _____

4) _____

- A) Technician A only
- B) Technician B only
- C) Both technicians A and B
- D) Neither technician A nor B
- 3) The low-pressure fuel system contains _____.
 - A) A transfer pump
 - B) The fuel filters
 - C) A fuel level sending unit/tank pick-up
 - D) All of the above
- 4) Replacement fuel filter elements are being discussed. Technician A says that an improperly installed filter element may result in fuel not being delivered to the high-pressure fuel injection system. Technician B says that the use of an incorrect fuel filter element may result in partially filtered fuel being delivered to the high-pressure fuel injection system. Which technician is correct?
 - A) Technician A only
 - B) Technician B only
 - C) Both technicians A and B
 - D) Neither technician A nor B
- 5) When testing the low-pressure fuel system, many manufacturers will test for fuel ______ 5) _____
 5) ______

 instead of pressure.
 5) ______
 - A) Density
 - B) Volume
 - C) Color
 - D) BTU content

 6) Which of these is NOT used to manufacture low-pressure fuel lines? A) Braided steel B) Nylon C) Plastic D) Rubber 	6)
 7) What is the purpose of the fuel heater in a diesel fuel system? A) Allows higher RPM B) Prevents ice in the fuel C) Prevents gelling in cold weather D) Increases cetane levels 	7)
 8) The diesel fuel tank includes a vent that is routed to A) A charcoal canister B) Atmosphere C) A small pump D) The air cleaner housing 	8)
 9) The most common system for fuel filtering is the filter-type system. A) Triple B) Dual C) Piggyback D) Angle 	9)
 10) Air in the low-pressure fuel system can cause all of these EXCEPT A) Hard starting B) High idle speed C) Low power D) Rough idle 	10)

Answer Key Testname: LVDE1_12B

> 1) A Page Ref: 140 2) C Page Ref: 135 3) D Page Ref: 135 4) C Page Ref: 139 5) B Page Ref: 140 6) D Page Ref: 137 7) C Page Ref: 138 8) B Page Ref: 135 9) B Page Ref: 138 10) B Page Ref: 137