

Name _____

MULTIPLE CHOICE. Choose the one alternative that best completes the statement or answers the question.

- 1) Which is the best location to measure or service the engine block? 1) _____
 - A) Mounted to an engine stand
 - B) Mounted on a portable crane
 - C) Both A and B
 - D) Neither A nor B

- 2) Most portable cranes use what type of pressure for lifting heavy loads? 2) _____
 - A) Hydraulic
 - B) Pneumatic
 - C) Both A and B
 - D) Neither A nor B

- 3) The bearings of shop equipment _____. 3) _____
 - A) Should be lubricated regularly if possible
 - B) Are often sealed and cannot be lubricated
 - C) Either A or B
 - D) Neither A nor B

- 4) Proper care of shop equipment includes _____. 4) _____
 - A) Tuning up every 6 months
 - B) Keeping equipment clean
 - C) Keeping equipment lubricated
 - D) Both B and C

- 5) Which air tool is used to remove rust or gaskets? 5) _____
 - A) Die grinder
 - B) Air drill
 - C) Air sander
 - D) None of these

- 6) What type light may be used in more difficult to access areas? 6) _____
 - A) LED
 - B) Fluorescent
 - C) Incandescent
 - D) None of these

- 7) When removing a bearing and race from a component _____. 7) _____
 - A) Cover the work while using a press
 - B) A bearing splitter may be needed to remove the inner race
 - C) Both A and B
 - D) Neither A nor B

- 8) Which type of trouble light is recommended for use in the shop? 8) _____
- A) Incandescent
 - B) Florescent
 - C) LED
 - D) Either B or C
- 9) When mounting an engine to an engine stand, what grade bolt should be used? 9) _____
- A) 5 or 8
 - B) 4 or 7
 - C) 3 or 5
 - D) 1 or 4
- 10) Engine stands _____. 10) _____
- A) Hold the engine from the rear
 - B) Hold the engine block from the sides
 - C) Either A or B
 - D) Neither A nor B

Answer Key

Testname: INTRO_10B

- 1) A
Page Ref: 101
- 2) A
Page Ref: 100
- 3) C
Page Ref: 101
- 4) D
Page Ref: 101
- 5) A
Page Ref: 97
- 6) A
Page Ref: 99
- 7) C
Page Ref: 100
- 8) D
Page Ref: 98-99
- 9) A
Page Ref: 101
- 10) C
Page Ref: 101