

Name _____

MULTIPLE CHOICE. Choose the one alternative that best completes the statement or answers the question.

- 1) What tool is used to check input shaft endplay? 1) _____
A) Feeler gauge
B) Torque wrench
C) Calibrated pliers
D) Dial indicator and stand

- 2) A static shift test is performed with the engine _____. 2) _____
A) Not running
B) Running, but still cold
C) Off and the transmission removed
D) Running at a steady idle

- 3) A typical transaxle repair kit includes _____. 3) _____
A) Seals
B) Snap rings
C) Gaskets
D) All of the above

- 4) "Rust dust" is an indication of what fault? 4) _____
A) Broken blocker rings
B) Worn steel parts such as U-joints
C) A slipping clutch
D) Fluid leak

- 5) Which test is best in isolating clutch system problems? 5) _____
A) Dynamic shift test
B) Static shift test
C) Road shift test
D) None of these

- 6) Preload causes a slight drag as a shaft is rotated and it is usually measured using a _____. 6) _____
A) Feeler gauge
B) Torque wrench
C) Spring scale
D) Either B or C

- 7) A transaxle's lubricant is being checked. Technician A says that the fluid level should be even with the bottom of the filler hole. Technician B says that it should be in the hatch-marked area of the dipstick. Which technician is correct? 7) _____
A) Technician A only
B) Technician B only
C) Both technicians
D) Neither technician

- 8) Using the improper transmission fluid can cause all of these EXCEPT _____. 8) _____
- A) Jumping out of gear
 - B) Excessive shifting effort
 - C) Gear clash when shifting gears
 - D) Excessive noise
- 9) While inspection transmission gears a damaged 3rd speed gear is found. Technician A says that replacing the 3rd speed gear will be all that is needed. Technician B says that the 3rd speed gear and its mate have to be replaced as a set. Which technician is correct? 9) _____
- A) Technician A only
 - B) Technician B only
 - C) Both technicians
 - D) Neither technician
- 10) Technician A says that synchronizer sleeves can be replaced onto the hub in any position. Technician B says that blocker rings should be snug and not wiggle around when installed. Which technician is correct? 10) _____
- A) Technician A only
 - B) Technician B only
 - C) Both technicians
 - D) Neither technician

Answer Key

Testname: MDA8_8B

1) D

Page Ref: 150

2) A

Page Ref: 137

3) D

Page Ref: 140

4) B

Page Ref: 136

5) A

Page Ref: 138

6) D

Page Ref: 151

7) C

Page Ref: 133

8) A

Page Ref: 133

9) B

Page Ref: 144

10) D

Page Ref: 146-147