2022 ASE Correlation Chart

Heating, Ventilation, and Air Conditioning (HVAC) (A7)

MLR- Maintenance & Light Repair

AST- Auto Service Technology

MAST- Master Auto Service Technology

	Task	MLR	AST	MAST	Text Page #	Task Page #
_	A. General			- 1	1 010	4.40
1.	Research vehicle service information, including refrigerant/oil/fluid type, vehicle service history, service precautions, technical service bulletins, and recalls including vehicles equipped with advanced driver assistance systems (ADAS).	P-1	P-1	P-1	212-216	1; 19
2.	Identify heating, ventilation, and air conditioning (HVAC) components and configurations.	P-1	P-1	P-1	55-67	2
3.	Retrieve and record DTCs, OBD monitor status, and freeze frame data; clear codes and data when directed.	P-1	P-1	P-1	215- 216	20
4.	Identify steps of an A/C performance test; perform A/C system performance test; interpret results; determine needed action.	P-2 Identify the steps only	P-1	P-1	216	31; 36
5.	Identify abnormal operating noises in the A/C system; determine needed action	P-3 Identify noises only	P-2	P-1	221- 222	32

	Task	MLR	AST	MAST	Text	Task
					Page #	Page #
6.	Visually inspect A/C system for signs of leaks; leak test A/C system; determine needed action.	P-1 Inspect only	P-1	P-1	188; 219	34
7.	Identify and interpret heating and air conditioning problems; determine needed action.	P-1 Identify problems only	P-1	P-1	124- 126; 212- 222	14; 31
8.	Identify refrigerant type; select and connect proper gauge set/test equipment record temperature and pressure readings		P-1	P-1	192- 193	33
9.	Inspect condition of refrigerant oil removed from A/C system; determine needed action.		P-2	P-2	196	5; 28
10.	Determine recommended oil and oil capacity for system application.		P-1	P-1	51; 202	4; 5
	B. Refrigeration System Comp	onents				
1.	Inspect, remove, and/or replace A/C compressor drive belts, pulleys, and tensioners; determine needed action.	P-1 Inspect and replace only	P-1	P-1	37-39	22; 42
2.	Inspect for proper A/C condenser airflow; determine needed action.	P-2	P-1	P-1	187	23
3.	Inspect evaporator housing water drain; perform needed action.	P-1	P-1	P-1	186	39
4.	Inspect, test, and/or service A/C compressor clutch components and/or assembly; determine needed action.		P-2	P-2	35-36	3
5.	Remove, inspect, reinstall and/or replace A/C compressor and mountings; determine recommended oil type and quantity.		P-1	P-1	39-40	4

	Task	MLR	AST	MAST	Text	Task
					Page	Page
6.	Remove and inspect A/C		P-2	P-2	200	# 42
0.	system mufflers, hoses, lines,		P-2	P-2	200	42
	fittings, O-rings, seals, and					
	service valves; perform needed					
	action.					
7.	Remove, inspect, and replace		P-2	P-2	57;	8
	receiver/drier or				63-65	
	accumulator/drier; determine					
	recommended oil type and					
	quantity.					
8.	Remove, inspect, and install		P-1	P-1	72-74	9
	expansion valve or orifice					
0	(expansion) tube.		D 2	D 1	24.25	17
9.	Diagnose A/C system conditions that cause the		P-2	P-1	34-35	17
	protection devices (pressure,					
	thermal, and/or control module)					
	to interrupt system operation;					
	determine needed action.					
10.	Determine procedure to remove		P-2	P-2	223-	40
	and reinstall evaporator;				225	
	determine required oil type and					
	quantity.					
11.	Remove, inspect, reinstall		P-3	P-2	71-73	41
	and/or replace condenser;					
	determine required oil type and					
	quantity.		. 1° C	4		
1	C. Heating, Ventilation, and En	ngine Coo	1		116	12, 15.
1.	Inspect engine cooling and heater systems hoses and pipes;	F-1	P-1	P-1	116- 117	13; 15; 24
	determine needed action.				11/	<i>∠</i> ¬
2.	Inspect and test heater control		P-2	P-2	125	15
	valve(s); perform needed action				120	
3.	Diagnose temperature control		P-3	P-2	167-	14
	problems in the HVAC system				169	
	related to the engine cooling					
	system, including electric					
	heating; determine needed					
	action.					

	Task	MLR	AST	MAST	Text	Task
	I ask	WILK	ASI	MASI	Page	Page
					#	#
4.	Determine procedure to		P-2	P-2	128-	40
	remove, inspect, reinstall,				130	
	and/or replace heater core;					
	properly refill system.					
	D. Operating Systems and Rela	ted Cont	trols			
1.	Inspect HVAC system heater	P-1	P-1	P-1	186	11; 16
	ducts, doors, hoses, cabin					
	filters, and outlets; determine					
	needed action.					
2.	Identify the source of HVAC	P-2	P-2	P-2	220-	26; 38
	system odors.				221	
3.	Inspect and test HVAC system		P-1	P-1	87	10
	blower motors, resistors,					
	switches, relays, wiring, and					
	protection devices; determine					
	needed action.					
4.	Diagnose A/C compressor		P-2	P-1	164	3
	control systems; determine					
	needed action.			5.4		4 - 4 -
5.	Diagnose malfunctions in the		P-2	P-2	68-	16; 17
	vacuum, mechanical, and/or				70;	
	electrical components and				165;	
	controls of the HVAC system;				167-	
	determine needed action.		D 2	D 0	169	
6.	Inspect, test, remove and/or		P-2	P-2	167-	-
	replace HVAC system control				169	
0	panel; determine needed action.		D 2	D 2	1.65	10. 10
8.	Check operation of automatic		P-2	P-2	165-	18; 19
	HVAC control systems;				169	
	determine needed action.	olina on	l II an all			
1.	E. Refrigerant Recovery, Recycles	P-1	P-1	P-1	191-	6
1.	Demonstrate awareness of the	r-1	F-1	r-1		υ
	need to recover, recycle, and handle refrigerants using proper				192	
	equipment and procedures.					
2.	Use and maintain refrigerant		P-1	P-1	191-	6; 28
4.	handling equipment according		F-1	F-1	191-	0, 20
	to equipment manufacturer's				199	
	standards.					
	standards.	I	1		1	

Automotive Heating and Air Conditioning 8th ISBN-13 9780134603698

	Task	MLR	AST	MAST	Text Page #	Task Page #
3.	Identify A/C system refrigerant; test for sealants; recover, evacuate, and charge A/C system; add refrigerant oil as required		P-1	P-1	191- 199; 203- 206	28
4.	Recycle, label, and store refrigerant		P-1	P-1	194- 199	29