
Gaskets And Sealants Chapter 36



ACROSS

- **3** The fiber facing is protected around the combustion chamber with a metal _____.
- 5 A _____ gasket uses a wire mesh core with fiber facings.
- 6 _____ cure in the absence of air.
- 8 Most head gaskets are called __-____gaskets, meaning the cylinder head bolts do not have to be retorqued after the engine has run.
- 10 _____ is a condition that can destroy intake manifold gaskets, caused by the unequal expansion and contraction of two different engine materials.
- **11** _____ allow the shaft to rotate and seal the area around the shaft to prevent oil or coolant from leaking.
- **13** Another name for the metal armor around the combustion chamber is the _____.
- **14** _____ gaskets are commonly used because they can be applied at the engine plant using a robot.

DOWN

- 1 _____ sealant allows for repeated disassembly and reassembly.
- 2 Some oil pans use _____ gaskets.
- **4** The _____ gaskets are constructed with three to five layers of stainless steel sheets separated by elastomer material.
- **6** _____ is used for stainless steel and other metal applications in harsh chemical environments.
- 7 Older engines often used gaskets made from ____
- **9** ____ means that the silicone rubber material will cure at room temperature.
- **12** The <u>gasket</u> uses a metal core to give strength to the gasket.

