


Braking System Components And Performance Standards

Chapter 3



<http://jameshalderman.com>

ACROSS

- 1 The _____ lights whenever a hydraulic system failure occurs.
- 4 The driver starts the operation of the braking system by pressing on the _____.
- 9 _____ place the brake pedal and the accelerator pedal on movable brackets that are motor operated.
- 12 _____ are the main driver-operated brakes of the vehicle.
- 13 _____ are used on the rear of many rear-wheel-drive, front-wheel-drive, and four-wheel-drive vehicles.
- 14 The purpose of an _____ is to prevent the wheels from locking during braking, especially on low-friction surfaces such as wet, icy, or snowy roads.
- 15 _____ are used on the front of most vehicles built since the early 1970s and on the rear wheels of many vehicles.

DOWN

- 2 The _____ includes all the levers, pedals, or linkage needed to activate a braking force.
- 3 The actual performance tests are made with the vehicle loaded to both the manufacturer's specified _____ and the LLVW, with certain applied brake forces.
- 5 The brake pedal force is transferred to the _____, where the force is directed through lines and hoses to the wheel brakes.
- 6 Another name for service brakes are _____.
- 7 _____ is another name for adjustable pedals.
- 8 The driver starts the operation of the braking system by applying the _____.
- 10 The statutes pertaining to automotive brake systems are part of the _____ established by the US DOT.
- 11 Another name for service brakes are _____.