

Name \_\_\_\_\_

**MULTIPLE CHOICE. Choose the one alternative that best completes the statement or answers the question.**

- 1) When bleeding wheel brakes, the bleeder screw is usually loosened one-half turn. 1) \_\_\_\_\_  
A) True  
B) False
  
- 2) Vacuum bleeding requires \_\_\_\_\_. 2) \_\_\_\_\_  
A) metering valve override  
B) a suction pump  
C) both A and B  
D) neither A nor B
  
- 3) Technician A says that the brake pedal should be depressed with as much force as possible during the normal bleeding procedure. Technician B says that the brake pedal should be pumped rapidly during this manual bleeding procedure to force the air down toward the bleeder valve(s). Which technician is correct? 3) \_\_\_\_\_  
A) Technician A only  
B) Technician B only  
C) Both technicians  
D) Neither technician
  
- 4) The brake bleeding procedure usually specified for a rear-wheel drive vehicle with a dual split master cylinder is \_\_\_\_\_. 4) \_\_\_\_\_  
A) RR, LR, RF, LF  
B) LF, RF, LR, RR  
C) RF, LR, LF, RR  
D) LR, RR, LF, RF
  
- 5) Vacuum is applied where during vacuum bleeding? 5) \_\_\_\_\_  
A) At each wheel brake bleeder valve  
B) At the master cylinder reservoir  
C) At the vacuum booster check valve  
D) At the metering valve end of the combination valve
  
- 6) How does a bleeder valve seal? 6) \_\_\_\_\_  
A) O-ring  
B) By the threads  
C) Lip seal  
D) Tapered end
  
- 7) Manual brake bleeding \_\_\_\_\_. 7) \_\_\_\_\_  
A) requires two people  
B) is most commonly used  
C) is the least expensive method  
D) all of the above

- 8) In an overall bleeding sequence, which part should be bled first? 8) \_\_\_\_\_
- A) Wheel cylinders
  - B) Brake calipers
  - C) Master cylinder
  - D) Combination valve
- 9) The button on the \_\_\_\_\_ valve should be held when pressure bleeding the brakes. 9) \_\_\_\_\_
- A) metering
  - B) proportioning
  - C) pressure-differential
  - D) residual check
- 10) Two technicians are discussing bench bleeding a master cylinder. Technician A says that the front (nose end) of the master cylinder should be bled first. Technician B says that rear (brake pedal end) should be bled first. Which technician is correct? 10) \_\_\_\_\_
- A) Technician A only
  - B) Technician B only
  - C) Both technicians
  - D) Neither technician

## Answer Key

Testname: AT6\_101A

1) A

Page Ref: 1158

2) B

Page Ref: 1159

3) D

Page Ref: 1158

4) A

Page Ref: 1158

5) A

Page Ref: 1159

6) D

Page Ref: 1157

7) D

Page Ref: 1158

8) C

Page Ref: 1156

9) A

Page Ref: 1161

10) B

Page Ref: 1156