

Name _____

MULTIPLE CHOICE. Choose the one alternative that best completes the statement or answers the question.

- 1) Floor jacks are designed to support a load. 1) _____
A) True
B) False

- 2) A safety stand is also called a _____. 2) _____
A) jack
B) jack stand
C) bottle jack
D) safety stool

- 3) When lowering a vehicle, _____. 3) _____
A) lower the vehicle slowly and make sure it remains stable
B) first engage the safety locks
C) both A and B
D) neither A nor B

- 4) When removing heavy objects that may change the center of gravity of a vehicle _____. 4) _____
A) use tall safety stands
B) position hoist arms as close to vehicle corners as possible
C) Both A and B
D) Neither A nor B

- 5) Technician A says that a creeper should be stored vertically. Technician B says that a creeper should be stored on its casters. Which technician is correct? 5) _____
A) Technician A only
B) Technician B only
C) Both technicians
D) Neither technician

- 6) When checking stability, how high should the vehicle be raised? 6) _____
A) About 2 inches (5 cm)
B) About 6 inches (15 cm)
C) About 1 foot (30 cm)
D) About 3 feet (91 cm)

- 7) The proper height for lifting should place the work area _____. 7) _____
A) at chest level
B) near the floor
C) over the technicians head
D) none of these

- 8) Tall pad extensions are used _____. 8) _____
- A) to engage the frame of trucks
 - B) to contact the pinch welds on passenger vehicles
 - C) both A and B
 - D) neither A nor B
- 9) Vehicle hoists are rated by _____. 9) _____
- A) maximum lifting capacity
 - B) the maximum height a vehicle can be lifted
 - C) both A and B
 - D) neither A nor B
- 10) Before lowering the vehicle, what should the technician do? 10) _____
- A) Be sure nothing is underneath the vehicle.
 - B) Raise the vehicle enough to release the safety latch.
 - C) Be sure no one will be walking under or near the vehicle.
 - D) All of these

Answer Key

Testname: AT6_11B

1) B

Page Ref: 97

2) B

Page Ref: 97

3) A

Page Ref: 100

4) C

Page Ref: 98

5) A

Page Ref: 97

6) C

Page Ref: 99

7) A

Page Ref: 100

8) A

Page Ref: 99

9) A

Page Ref: 98

10) D

Page Ref: 100