Automotive Technolog	gy 6th Edition
Chapter 20 - Coolant	
Quiz 20B	

20B	
<u> </u>	
TIPLE CHOICE. Choose the one alternative that best completes the statement or answers the ques	tion.
1) Coolant is water and	1)
A) methanol	
B) glycerin	
C) kerosene	
D) ethylene glycol	
2) What percentage of coolant is water?	2)
A) 80%	
B) 50%	
C) 30%	
D) 10%	
3) As the percentage of antifreeze in the coolant increases,	3)
A) the freeze point decreases (up to a point)	
B) the boiling point decreases	
C) the heat transfer increases	
D) All of the above occurs.	
4) Some manufacturers recommend using premixed coolant only in their vehicles.	4)
A) True	
B) False	
5) All these are functions of coolant EXCEPT	5)
A) corrosion inhibitor	-
B) rust inhibitor	
C) cooling system lubricant	
D) All of these are functions of coolant.	
6) Reusing old coolant is generally not approved by vehicle manufacturers, with the exception of	6)
A) General Motors	
B) Ford	
C) Chrysler	
D) Mercedes	
7) Using 100% coolant in the cooling system improves the cooling capacity of the system.	7)
A) True	
B) False	
8) Adding a chemical to make ethylene glycol coolant bitter to the taste is called	8)
A) passivation	
B) embittered	
C) refractometer	
D) electrolysis	
•	

9) DEX-COOL coolant is composed mostly of which of these chemicals?	9)
A) Methanol	
B) Alcohol	
C) Propylene glycol	
D) Ethylene glycol	
10) Asian red coolant is what type?	10)
A) IAT	
B) OAT	
C) HOAT	
D) PHOAT	

Answer Key

Testname: AT6_20B

- 1) D
 - Page Ref: 188
- 2) B
 - Page Ref: 188
- 3) A
 - Page Ref: 188
- 4) A
 - Page Ref: 191
- 5) D
- Page Ref: 188
- 6) D
 - Page Ref: 194
- 7) B
 - Page Ref: 191
- 8) B
 - Page Ref: 190
- 9) D
 - Page Ref: 189
- 10) C
 - Page Ref: 190