

Name _____

MULTIPLE CHOICE. Choose the one alternative that best completes the statement or answers the question.

- 1) Batteries should not be tipped to more than a _____ angle. 1) _____
A) 45 degree
B) 60 degree
C) 5 degree
D) none of these
- 2) A proper working height is _____. 2) _____
A) at waist height
B) at knee height
C) above your head
D) none of these
- 3) What do you call the technicians protective head cover? 3) _____
A) Cap
B) Hat
C) Bump cap
D) Helmet
- 4) Hearing protection should be worn any time the noise level exceeds _____. 4) _____
A) 60 dB
B) 70 dB
C) 80 dB
D) 90 dB
- 5) Exhaust hoses should be used because one of the exhaust gasses can be deadly in high concentrations. This gas is _____. 5) _____
A) carbon monoxide (CO)
B) carbon dioxide (CO₂)
C) hydrocarbons (HC)
D) oxides of nitrogen (NO_x)
- 6) Technician A uses a face shield when using any type of pressure or chemical procedure. Technician B uses protective gloves when working with solvents. Which technician is correct? 6) _____
A) Technician A only
B) Technician B only
C) Both technicians
D) Neither technician
- 7) There are _____ classes of fire extinguishers. 7) _____
A) 4
B) 3
C) 6
D) 8

- 8) Which type of glove is damaged by contact with petroleum products or solvents? 8) _____
- A) Latex
 - B) Nitrile
 - C) Both A and B
 - D) Neither A nor B
- 9) Which type fire extinguisher may damage electronic components? 9) _____
- A) Dry chemical
 - B) CO₂
 - C) Both A and B
 - D) Neither A nor B
- 10) Technician A says that containers for dirty shop rags should be made of metal. Technician B says that these containers should have a lid that stays closed. Which technician is correct? 10) _____
- A) Technician A only
 - B) Technician B only
 - C) Both technicians
 - D) Neither technician

Answer Key

Testname: AT6_6B

- 1) A
Page Ref: 46
- 2) A
Page Ref: 45
- 3) C
Page Ref: 44
- 4) D
Page Ref: 44
- 5) A
Page Ref: 45
- 6) C
Page Ref: 43
- 7) A
Page Ref: 46
- 8) A
Page Ref: 43
- 9) A
Page Ref: 47
- 10) C
Page Ref: 45